


Golden Gate





General Specifications

[Regulatory File](#) – Insert Official Number 990713 in the Vessel Number box and click “search”

Name	Golden Gate
Style	Pilot/Patrol Boat
Builder	Gladding Hearn
Hull	Planning
Hull Depth	6’
USCG Official Number	990713
Gross Tonnage	47
Net Tonnage	38
Speed (approx.)	Maximum: 22-23 kts @ 1700 RPM (80 gph)
Built	1993
LOA	67.067’
LWL	67’
Beam	16’
Hull Depth Depth	17.8’
Freeboard Depth	6.5’ fwd, 4’ aft
Draft	Water: 5.5’ Air Draft: 32’
Displacement	45 tons
Hull Material	Aluminum
Deckhouse Material	Aluminum

Tank Capacities	Fuel: 1,985 gallons Lube Oil: 40 gallons Waste: 100 gallons Potable Water: 300 gallons Ballast Tank: 78 gallons
------------------------	---

WHEELHOUSE

- Control station with caterpillar instrumentation (i.e., tachometer, engine oil pressure, ammeters, hour meters)
- Llebroc helm seat
- 6 crew seats
- Carlisle Finch 16" searchlight
- Fog bell
- Air horn
- Motorola cellular telephone
- Ritchie 7" magnetic compass
- Furuno model RDP 150 radar
- Furuno model FR 8050 D radar (backup)
- Furano model RDP154 radar display
- Furuno model GP-170 GPS Navigator
- Navigation computer running NAVTREK software.
- RHO-Theta RT-300 man overboard direction finder
- Simrad model AP-50 auto pilot.
- Two Sea 157 VHF/FM marine radio with antenna
- ICOM model IC-M57 marine radio with antenna
- SEA 857 loud hailer
- Furuno model FI-50 wind speed \direction.
- Furuno model RD-33 wind speed, direction with digital depth sounder.
- Furuno model FA-170 AIS
- Murphy bilge alarm
- National Weather Service barometer

- Chelsea Ship Strike chronometer
- Simrad model R135 rudder indicator
- Simrad model S-35 non follow up steering lever
- Simrad model RU-50 follow up steering lever.
- Fujinon 7×50 binoculars
- Fusion model MS-IP600 stereo system

ELECTRICAL SYSTEM

- Two ship service 20 kW Northern Lights generator powered by dedicated Luggar marine diesels with fuel filter, grid cooled Tier 3 (NEW 2019)
- Hours Port: 11,398, Starboard: 11,397 – November 2023
- Ship to shore power switch
- 100 AMP/ 208 VAC shore power service – three phase
- 120 VAC/12 VDC lighting
- 120 VAC duplex outlets
- Two Pro Mariner 80-amp battery chargers
- One Charles Marine 5000 SP battery charger
- 15-gallon water heater
- Internationally approved navigation lights (i.e., port light, starboard light, stern light, masthead light, anchor light)

HULL, SUPERSTRUCTURE AND DECKS

- 5/16" bottom aluminum plate hull
- 6" split pipe rub rail

MECHANICAL EQUIPMENT AND ENGINE DETAILS

- Two 12-cylinder 1,300 HP @ 1800 RPM Caterpillar model C-32 marine diesel engines, pneumatic start, fuel filters, seawater strainers, grid cooled- Tier 2 (Port NEW 2011/REBUILT in 2019, Starboard REMANUFACTURED 2019)
- Hours: Port – 39,769, starboard 13,519 – November 2023

- Engine room insulation
- Two ZF model 2050 A 2.025:1 reduction marine gears (REBUILT 2019)
- 3.5" propeller shafts with Twinflex MX shaft brakes
- Two 36 x 44 5 blade NIBRAL propellers
- Two Curtis Toledo 5 hp air compressors
- Attwood air conditioner in wheelhouse
- Electric baseboard in wheelhouse

GALLEY

- Kenmore 2 burner electric stove
- Under counter refrigerator
- General Electric microwave
- Stainless steel sink

HEAD/BERTHS

- One marine toilet
- Shower
- 4 berths

SAFETY EQUIPMENT

- 12 type I adult size personal flotation devices
- 3 child PFDs
- Two 6-person New Wave guardian rafts in float free cradles
- Five survival suits
- Alert 2 MOB Alarm
- Switlik MOM 8-A man overboard model mounted aft in quick release bracket
- Life Sling MOB retrieval system with Maxwell 2200 electric winch
- Hewan rescue litter
- Zoll semi-automatic defibrillator
- AED/CRA pack

- Gasoline powered trash pump with 20' suction hose
- EPIRB
- Four 30" life ring three with lines, two with self-actuated rescue lights
- Manual CO2 with 2 100 lb. bottles
- Six fire extinguishers (2 10: BC CO2, 3 10: BC dry chemical 1 60: BC dry chemical)
- Pyrotechnic distress signals
- Two 125 lb. Fortress anchors

FINISH

- Exterior coating: Coating
- Exterior decks: Non-Skid
- Interior decks: Rubber
- Interior Bulkheads: Aluminum sheathing

REMARKS

The GOLDEN GATE is in very good condition.

Exclusions

N/A

Pinnacle Marine Corporation is the only brokerage service specializing in the passenger vessel industry. We provide assistance in locating suitable financing packages, vessel transportation via water or land, assistance in securing competitive insurance coverage, marketing and

W5845 Carla Court Stoddard, WI 54658-
9706

PH: (608) 788-3210

FX: (608) 480-8703

EM: info@pinnaclemarine.com

business consulting, pre-auction and
auction services, and more.

- Businesses for Sale
- List Your Boat
- Assistance

Copyright 2022 Pinnacle Marine Corporation. All rights reserved.